10-11-14 Light-Heavy Rom most of days WSpSUEFLF

49	• • •	•	W Sp	jur	r Li	_	
SEASONAL OCC	CURRENCE:	Green Heron*	v u	ff	U	1	
* .	December - mid-March + + + + + + + + + + + + + + + + + + +	Black-crowned Night-Heron"	., u 1	ff	1		
W - Winter	Side March May	Vallous-crowned Night-Heldi	•	u t	u L		
Sp - Spring	mid-March – May	Glosey Ihis*	٧	C	c t		
Su - Summer	June - mid-July V 1	T Plack \/ulture**	1	u I			
EF - Early Fall	mid-July – mid-September	Turkey Vulture*	f f	f	f (C	
LF - Late Fall	mid-September - November	. Y Turkey values					
		WATERFOWL					
DELATIVE ABU	NDANCE AND STATUS:	WATER OUT					
NEA- that those are	average numbers in suitable habitat.	Snow Goose	c c	٧		С	
Mote that mese are		Canada Goose*	¢ ¢	f	f	C	
c - common	should not miss;	Brant	с с	Г	٧	Ç	
	more than 20 individuals per day	Mute Swan* (i)	T T	f	f	f	
		Tundra Swan	, 5 5		_	ţ	
f - fairly common	usually seen;	Mood Duck*	.,., 5	u	f	f	
	5 to 20 individuals per day	Gadwall**	T C	s	u	С	
u - uncommon	seen in limited numbers;	TT Furasian Wideon	,r r		-	r	
u - uncommon	1 to 4 per day	Z American Wideon	0 0	_		C	
•		American Black Duck*	c c	f	f	С	
s - scarce	usually present, but not seen daily	▼ Maliard*	C C	f	С	C	
0 00-	seen only a few times per season	Blue-winged Teal**	r f	s	f	ţ	
r - rare		Northern Shoveler	f f		s	f	
v - very rare	very infrequent; averages 1 or	Northern Pintail	f o	;	u	f	
V = Very laio	fewer records per season	Green-winged Teal	f c	; r	f	С	
		Canvasback	s s	ذ		S	
p - pelagic	found primarily at sea;	Redhead	r r			r	
, , ,	listed status is that from shore	Ring-necked Duck	u t	,		u	
	not native to New Jersey	Greater Scaup	C	3		ţ	
i - introduced	flot flative to from concey	Lesser Scaup	f 1			Ť	
 regular bree 	der	King Fider	r I	í	٧	r	
** _ irregular of t	oresumed breeder	Common Fider	S I	r v	′ V	9	•
		Harlequin Duck	r	ſ		ŗ	
LOONS to CO	RMORANTS	Surf Scoter	.,, G	c r	r		;
	M Shancer	White-winged Scoter	T	u V	/ V	1	
Ped-throat	ed Loanc c v c	Black Scoter	C	C L	r		
Common	nonT C 1 S C	Oldsgraw	C	С		1	
Pied-hilled	Grebe** u ; 3 !	Rufflehead	C	Ċ		(C
Horned Gr	rebe	Common Goldeneye	T	1		. !	_
Red-necks	ed Grebe	Hooded Merganser	t	u	,		f
Corv's She	earwater (p) v v	Common Merganser	S	5			5
Greater S	hearwater (p) V	Red-breasted Merganser	, C	С	. :	-	C
Sonty She	earwater (p)	Ruddy Duck	u	S	٧		u
Audubon's	s Shearwater (p)						
\Mileon's	Storm-Petrel (p) 「 S S	DIURNAL RAPTORS					
Northern	GannetT C S I C	,		£	f	_	_
Brown Pe	dicanvsuus	✓ Osprey*	V	1	1		
Double-cr	rested Cormorant u C C C C	Mississippi Kite	,			٧	1.6
Great Co	rmorantu u v v u	✓ Bald Eagle*	u	4	2	u f	c
		A Northern Harrier		1	5	u	•
BITTERNS to	VULTURES				r	u	
		Cooper's Hawk*	S	u	'	u	S
Americar	n Bitternssvuu	Northern Goshawk	r	٧.	r	u	C
Looct Bit	tern*Vuuus	Red-shouldered Hawk**	u	f	s		C
Groot Blu	ie Heron	Broad-winged Hawk*		1	3	v	r
Croot Fo	1rot*	Swainson's Hawk		f	u	f	c
	Grot*	Red-tailed Hawk*	I	1	u	'	u
1 ittle Blu	e Heron* u u v v	Rough-legged Hawk	u	ı			S
Tricolore	sd Heron*	Golden Eagle		, f	8	С	
Cattle E	gret** u u f u	American Kestrel*			-	_	

	W SpSuEFLF					
Merlin	s	u		f	С	
Merlin Peregrine Falcon*	s	S	s	f	C	
GROUSE to CRANES						
Ring-necked Pheasant**(i)	. r	r	r	r	r	
Ruffed Grouse*	. r	ľ	r	r	r	
✓ Wild Turkey*	. S	Ş	S	S	Ş	
Northern Bobwhite*	, U	u	u	u	u	
Black Rail**		S	\$	٧	٧	
Clapper Rail*	. u	C	C	С	u	
King Rail**	•	S,	S	s	٧	
Virginia Rail*	. u	u	u	u	u	
Sora**	. V	u	'V	u	u	
Common Moorhen*	. y	ų	u	u	u	
American Coot**	. Т	f	r	s	f	
Sandhill Crane	. v	r			r	
CHOREDIDDE						
SHOREBIRDS						
Disable halffald Disasses	£	_		_	_	
Black-bellied Plover		C	u	C	C	
American Golden-Plover		C C		s c	S	
Semipalmated Plover	. I	u	u u	u	s	
Piping Plover*Kilideer*	y	f	u	f	c	
American Oystercatcher*	I	f	f	f	f	
Black-necked Stilt**	'	r	v	v	'	
American Avocet	••	•	v	v	v	
Greater Yellowlegs		С	ů	Ċ	Ċ	
Lesser Yellowlegs		f	u			
Solitary Sandpiper		u	s	u		
V Willet*		c	c	f	s	•
Spotted Sandpiper**	••••	ť	ŭ	-	ū	
Upland Sandpiper	••	r	'nΓ	s		
Whimbrel			5	f	u	
Hudsonian Godwit		У	v	Г	r	
Marbled Godwit			v			
Ruddy Turnstone		c	u	_		
Red Knot			f	L	u	
Sanderling			f	С		
Semipalmated Sandpiper		C	·u		c c	
Western Sandpiper	f	r	r	C	C	
Least Sandpiper	г	· c	υ	1 0	; f	
White-rumped Sandpiper		Ų	ι	ιl	ιf	
Baird's Sandpiper				r	r	
Pectoral Sandpiper		ι	8	f	f	
Purple Sandpiper	(0	;	١.	/ C	
Dunlin	(, c	r	Ĺ	1 C	
Stilt Sandpiper		r	5	f	u	
Buff-breasted Sandpiper				r	r	
Ruff		٧				
Short-billed Dowitcher			f	•		
Long-billed Dowitcher	1	ſ١	*		s u	
Common Snipe	(u c	;		J f	
American Woodcock*		uι	1 (. (u f	
Wilson's Phalarope		r	ı		5 r	
Red-necked Phalarope (p)		١			/ V	
Red Phalarope (p)		1	/ \	1	V	
•						

JAEGERS to ALCIDS

J					
	Pomarine Jaeger (p)	٧			r
	Parasitic Jaeger (p)	s	٧	S	u
Z	Laughing Gull*r	¢	C	С	C
•	Little Gull	S	٧	٧	r
	Black-headed Gull r	r			ŗ
	Bonaparte's Gull c	С	r	ŗ	f
1	Ring-billed Gull c	C	u	f	Ç
Ľ	Herring Gull*	C	C	С	Ç
	lceland Gullr	r	٧		٧
	Lesser Black-backed Gulls	S	٧	r	S
	Glaucous Gullr	r			
\mathcal{L}	Great Black-backed Gull* c	C	С	С	С
	Black-legged Kittiwake (p) r	r			r
	Gull-billed Tern*	u	u	u	
<u>_</u>	Caspian Tern	r	٧	u	f
	_Royal Tern r	f	u	C	С
	Sandwich Tern	٧	r	S	٧
	Roseate Tern	s	S	r	
	Common Tern*	С	С	С	f
	Arctic Tern (p)	٧	٧	٧	٧
	Forster's Tern*s	С	С	C	С
	Least Tern*	f	f	f	
	Black Tern	٢	r	S	Γ
	Black Skimmer*v	f	f	С	f
	_ Dovekie (p) v				V.
	_Razorbill (p)r	٧			r
	EONS to WOODPECKERS				
V	_ Rock Dove (Feral Pigeon)*(i) c	С	С	C	С
	Mourning Dove*c		C	С	С
	_Black-billed Cuckoo*	u	S	u	S
	Yellow-billed Cuckoo*	u	u	f	s
	_Barn Owl*s	S	S	S	u
	Eastern Screech-Owl* f	f	f	f	f
	Great Horned Owl* u	u	u	u	u
	Snowy Owl v				٧
	Barred Owl* u	u	u	Ų	u
	_Long-eared Owls	S			u
	_Short-eared Owl u	u			u
	Northern Saw-whet Owls	S			u
	Common Nighthawk	8	V	u	S
	Chuck-will's-widow*	f	f	f	
	Whip-poor-will*	f	f	f	s
	Chimney Swift*	C			
	Ruby-throated Hummingbird*	f	f	f	s
VZ,	Belted Kingfisher*	ı · u			
V	Red-headed Woodpecker*r	S		S	-
	Red-bellied Woodpecker* f	f	f	f	f
V	Yellow-bellied Sapsucker r	5		4	u f
<u>.</u>	Downy Woodpecker* f	f		. f	. f
	Hairy Woodpecker*f	l L	-		
	₹ · Northern Flicker* T	C	; f	C	C
- 47					

Yilliw


	W SpSuEFLF				
FLYCATCHERS to VIREOS	• •				
Olive-sided Flycatcher		r		ŕ	v
Eastern Wood-Pewee*		f	f	c	f
Yellow-bellied Flycatcher		r		u	Г
Acadian Flycatcher*		f	f	u	r
Alder Flycatcher		٧		u	s
Willow Flycatcher*		S	u	u	
Least Flycatcher		r		f	s
Eastern Phoebe"	. r	f	s	s	C
Great Crested Flycatcher*		f	f	f	u
Western Kingbird	. v		V.	r	r
Eastern Kingbird*		f	f	С	u
Eastern Kingbird*	. v	f	f	f	s
Yellow-throated Vireo*		u	s	u	S
Blue-headed Vireo	. v	u		s	u
Warbling Vireo		s		u	s
Philadelphia Vireo		٧		u	ū
Red-eyed Vireo*		С	f	C	f
JAYS to WRENS	•			Ť	•
₩ . Blue Jay*		С	f	_	_
Blue Jay*American Crow*	. 6	C		C	C
Fish Crow*	Ų		C	C	C
Horned Lark*		C	С	С	Ċ
		S	S	S	U
Purple Martin*	٠	С	С	С	r
▼ Tree Swallow*	, S	C	С	C	C
No. Rough-winged Swallow*		u	u	f	s
Bank Swallow**	•	f	S	f	S
Cliff Swallow		u	r	u	u
Barn Swallow* Carolina Chickadee*		С	С	С	u
Carolina Chickadee*	, С	Ċ	C	С	Ċ
Tufted Titmouse*	. t	f	f	f	f
Red-breasted Nuthatch**	. s	u	٧.	S	f
White-breasted Nuthatch*	. u	u	u	u	u
Brown Creeper**	. s	u			u
Carolina Wren*	, C	¢	С	С	С
House Wren*	. r	f	f	f	f
Winter Wren	. u	u		ſ	u
Sedge Wren**	. 1	r		٧	r
Marsh Wren*	. u	С	С	С	f
KINGLETS to WAXWINGS					
Golden-crowned Kinglet	. u	f		v	С
Ruby-crowned Kinglet	. s	f		r	c
Blue-gray Gnatcatcher*	v	f	f	c	u
Eastern Bluebird*	u	u	u	u	С
Veery		u	~	С	u
Gray-cheeked Thrush	٠.	r		r	u
Bicknell's Thrush	•	r		, V	S
Swainson's Thrush	•	S		v U	t f
Hermit Thrush		f		v	
Wood Thrush*	. u	f	£	f	C
American Rebis*	٠ _		f		S
American Robin*	. с	C	С	С	С
Gray Catbird*	. u	С	С	С	С
Northern Mockingbird*	. с	С	C	С	С

	W Sp Su EFL				
Brown Thrasher*	u	ŕ	u	u	f
European Starling*(i)	C	C	C	Ç	Ċ
American Pipit	s	s		٧	f
Cedar Waxwing*	f	f	f	С	C
WARBLERS					
Blue-winged Warbler*		f	f	f	u
Golden-winged Warbler		r	·	s	r
Tennessee Warbler		s		ū	u
Orange-crowned Warbler		r		-	S
Nashville Warbler	v	u		f	ū
Northern Parula*		f	г	f	C
Yellow Warbler*		C	f	Ċ	s
Chestnut-sided Warbler		u		f	ū
Magnolia Warbler		f		ŕ	f
Cape May Warbler		u		f	f
Black-throated Blue Warbler		f		ŕ	f
Yellow-rumped Warbler	С	c		s	Ċ
Black-throated Green Warbler	•	f		f	f
Blackburnian Warbler		u		ŕ	u
Yellow-throated Warbler*		f	f	f	r
Pine Warbler*	v	Ċ	Ċ	Ċ	f
Prairie Warbler*	v	f	f	f	S
Palm Warbler		u	•	ù	Ç
Bay-breasted Warbler		u		u	S
Blackpoll Warbler		f	v	u	C
Cerulean Warbler		r	٧	r	v
Black-and-white Warbler*		,	f	-	f
American Redstart*		C	u	C	f
Prothonotary Warbler*		f	f	u	
Prothonotary Warbler*		ŧ	u	f	r s
Ovenbird*		C	c	-	_
Northern Waterthrush		u	L	C C	u f
Louisiana Waterthrush*				_	ı
Kentucky Warbler*		u	u	u	
Connecticut Warbler		u	Ş	5	
Mourning Warbler				u	u
✓ Common Yellowthroat*	_	r	_	u	ŗ
Hooded Warbler*	ľ	C	G	C	f
Wilson's Warbler		u	u	u	r
Canada Warbler		S		u	r
Yellow-breasted Chat*		ų f		f	S
	V	ı	f	u	S
TANAGERS to BUNTINGS					
Summer Tanager*		u	u	u	r
Scarlet Tanager*		f	f	f	c
Eastern Towhee*	u	c	Ċ	c	f
American Tree Sparrow	S	r	_	_	s
Chipping Sparrow*	S	ç	С	С	c
Clay-colored Sparrow	v	,,	-	r	Г
Field Sparrow*	f	f	f	f	C
Vesper Sparrow	•	v	•	-	s
Lark Sparrow		•		r	r
Savannah Sparrow	f	f		u	C
Grasshopper Sparrow**	•	v	v	v	r
		-	•	•	•

	W	Sp	Su	EF	LF
Nelson's Sharp-tailed Sparrow	s	S	•		u
Saltmarsh Sharp-tailed Sparrow*	u	f	f	f	u
Seaside Sparrow*	u	C	С	C	f
Fox Sparrow	u	u			f
Song Sparrow*	C	С	C	C	С
Lincoln's Sparrow		г			u
Swamp Sparrow*	f	f	f	f	С
White-throated Sparrow	C	C	v		c
White-crowned Sparrow	r	S			ŭ
Dark-eyed Junco	C	f			C
Lapland Longspur	г	r			r
Snow Bunting	s	r			11
Northern Cardinal*	C	C	c	c	c
Rose-breasted Grosbeak	•	f	v	ť	f
Blue Grosbeak*		ŕ	f	f	
Indigo Bunting*		Ċ	f	Ċ	f
Dickcissel	r	r	•	s	
	•	•		9	•

BLACKBIRDS to OLD WORLD SPARROWS

Bobolink	f	u	O	f
Red-winged Blackbird* c	С	C	C	C
Eastern Meadowlark* f	f	u	u	С
Yellow-headed Blackbirdv	٧	٧	r	٧
Rusty Blackbird u	ц			f
Common Grackle*c	C	G	С	C
Boat-tailed Grackle* f	f	f	f	f
Brown-headed Cowbird* c	С	С	C	С
Orchard Oriole*	f	f	f	ν
Baltimore Oriole*r	f	u	C	u
Purple Finch u	s		r	f
House Finch*(i)c	С	С	С	С
Common Redpoll r	٧			r
Pine Siskin u	s			u
American Goldfinch* f	С	f	С	С
Evening Grosbeak r	r			r
House Sparrow*(i) c	C	С	C	С
-				



RARITIES

Observers lucky enough to encounter any of the species on these two lists (or species marked "v" on the main list) should document the record with careful notes, sketches, and photographs. Please contact CMBO (609-884-2736) and other birders as soon as possible.

Very Rare Visitors and Vagrants

This is a list of species that have been adequately documented more than four times ever in the county, but less than annually since 1985.

Eared Grebe, Northern Fulmar, Manx Shearwater, American White Pelican, White Ibis, White-faced Ibis, Wood Stork, Fulvous Whistling-Duck, Greater White-fronted Goose, Swallow-tailed Kite, Yellow Rail, Purple Gallinule, Wilson's Plover, Curlew Sandpiper, Long-tailed Jaeger, Franklin's Gull, Sabine's Gull, Bridled Tern, Sooty Tern, Common Murre, Thick-billed Murre, Atlantic Puffin, White-winged Dove, Rufous/Allen's Hummingbird, Pileated Woodpecker, Ash-throated Flycatcher, Scissor-tailed Flycatcher, Fork-tailed Flycatcher, Loggerhead Shrike, Northern Shrike, Common Raven, Cave Swallow, Northern Wheatear, Black-throated Gray Warbler, Swainson's Warbler, Western Tanager, Henslow's Sparrow, Le Conte's Sparrow, Black-headed Grosbeak, Painted Bunting, Brewer's Blackbird, Red Crossbill, White-winged Crossbill.

Accidentals

These species have been recorded four or fewer times in Cape May County.

Black-capped Petrel, White-faced Storm-Petrel, Leach's Storm-Petrel, Band-rumped Storm-Petrel, Brown Booby, Anhinga, Magnificent Frigatebird, White-tailed Kite, Eurasian Kestrel, Gyrfalcon, Corn Crake, Northern Lapwing, Mongolian, Plover, Long-billed Curlew, Bar-tailed Godwit, Little Stint, Eurasian Woodcock, Great Skua, Black-tailed Gulf, White-winged Tern, Whiskered Tern, Brown Noddy, Black Guillemot, Eurasian Collared-Dove, Common Ground-Dove, Black-chinned Hummingbird, Calliope Hummingbird, Black-backed Woodpecker, Say's Phoebe, Gray Kingbird, Bell's Vireo, Brownchested Martin, Violet-green Swallow, Rock Wren, Bewick's Wren, Mountain Bluebird, Bohemian Waxwing, Townsend's Warbler, MacGillivray's Warbler, Spotted Towhee, Lark Bunting, Harris's Sparrow, Golden-crowned Sparrow, Smith's Longspur, Chestnut-collared Longspur.

The following species have been published as having occurred in Cape May County, but formal documentation is apparently lacking: Ross's Goose, Black-tailed Godwit, Thayer's Gull, Black-capped Chickadee, Green-tailed Towhee, Pine Grosbeak, and Hoary Redpoll.

